



Certification Body : **PayCert**
48 rue Montmartre
75002 Paris
France

Paris, June 22nd, 2026

Verifone, Inc.
817 Broadway, Suite 1100
New York 10003 NY
U.S.A.

PURE Certification Letter – Kernel Product

Certified Kernel:

Certificate Number: **VER.KER.218.2026-014**
Marketing Name: P630
Technical Name & Version: GK 1.2.0r

PURE Specification Reference: v2.1.8
PURE Reader Test Plan: v1.7-3

As tested in:

Terminal Name & Version: P630 Version 001
OS: VOS3
Terminal Product Type: Integrated Reader (Contactless only)
Level 1 Approval Number: 17883 0522 310 31a 31a FIMT

Dear Customer,

PayCert has received a request, submitted by Verifone, Inc., your company, for the Certification of the Kernel product GK 1.2.0r, hereafter referred to as the Product and identified above as “P630”.

In connection with your request, we have received your Implementation Conformance Statement (ICS), referred to as VER.KER.218.2026-014A dated 2026/06/04 and we have assessed your Test Report (ref. C26REP00-071 v2.0), which was generated following the *PURE Contactless Reader/Kernel Test Cases version 1.7-3*.

After assessing such file in the Certification Evaluation Report (ref. PURE/EVR/KER/2026-098 v1.0.0), PayCert has found reasonable evidence that the submitted samples of the Product comply to the *PURE contactless reader Specifications for PURE Dual-Interface Cards & Mobile PURE version 2.1.8*, hereafter referred to as the “Reference Specification”.



Certification Body : **PayCert**
48 rue Montmartre
75002 Paris
France

PayCert hereby grants the Product Certification of compliance with the requirements stated by the Reference Specification, and will include your Product in the certified products list, published on PURE Certification website (www.pure-payments.com).

Please note that PayCert's Certification (PURE/CLE/KER/2026-127_v1.0.0) is subject to the following terms and conditions as listed hereafter:

i) If the Product is changed, Verifone, Inc. must notify PayCert of this fact in writing. Any change in the Product that may generate a different behaviour with respect to the Reference Specification or a difference in the Product Implementation Conformance Statement will be considered a major modification subject to a new evaluation in order to maintain the present Certification.

ii) The Present Certification granted to Verifone, Inc. for the above referenced Product is non-transferable to any other vendor.

iii) Under no circumstances does this certification letter include or imply any product or service warranties from PayCert, including without limitation, any implied warranties of merchantability, fitness for purpose, or non-infringement, all of which are expressly disclaimed by PayCert.

iv) The Present Certification is not an assessment of the product's security level or Level 1 compliance. It is the responsibility of the certificate's user to make sure the results of all assessments are still valid at the time of the product's approval or issuance.

The Certification Body has the right to terminate or revoke the Certification should any of the aforementioned terms and conditions be not respected.

Name: Laurence MASSON

Title: Chief Operating Officer



Tested Terminal Characteristics: <i>(During the initial kernel certification)</i>	OS: VOS3 Physical Architecture: <input checked="" type="checkbox"/> Integrated Reader <input type="checkbox"/> Intelligent Reader <input type="checkbox"/> Transparent Card Reader Supported Options (see note 1): <table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8								
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								
Tested Terminal Name :	P630 Version 001												
Additional Information : <i>(For example configurable parts...)</i>	<u>Reader Module identification</u> : Reader module is out of scope of "P630" certification.												

- Option 1: GET DATA Transaction
- Option 2: PUT DATA Transaction
- Option 4: Application Authentication Transaction
- Option 6: Long Tap support
- Option 7: Online Additional Tap support
- Option 8: Echo command to retrieve the last Generate AC response.

Declaration of the terminals using the Certified PURE Kernel

The present appendix is intended to declare a range of contactless terminals, implementing a certified PURE Kernel/Reader. Terminals are acknowledged as a range based on the same characteristics listed below:

- PURE Reader module (or Entry Point module);
- Operating System;
- Physical architecture

Terminal Identification :	Brand Name : P630 Model Name : P630 Version : A (BK26P v01.00) Level 1 : 17518 0721 300 30a 30a FIMT Usable Options (see note 2) : <table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								
	Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												



Terminal Identification :	Brand Name : P630 Model Name : P630 Version : A (JK26P v02.00) Level 1 : 19113 1024 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : UX700 Model Name : UX700 Version : 006 Level 1 : 17786 0222 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : UX700 Model Name : UX700 Version : A Level 1 : 19319 0325 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : M425 Model Name : M425 Version : A Level 1 : 18053 0922 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												



Terminal Identification :	Brand Name : M450 Model Name : M450 Version : A Level 1 : 18086 1022 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : M424 Model Name : M424 Version : A Level 1 : 18500 0823 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : M440 Model Name : M440 Version : A Level 1 : 17989 0822 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : P200 Model Name : P200 Version : A Level 1 : 16538 0419 260 26b 26b FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												



Terminal Identification :	Brand Name : P400 Model Name : P400 Version : A Level 1 : 18138 1122 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : V200c Model Name : V200c Version : A Level 1 : 17653 1121 300 30a 30a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : V210 Model Name : V210 Version : A Level 1 : 18842 0424 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : V240m Model Name : V240m Version : A Level 1 : 17498 0821 300 30a 30a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												



Terminal Identification :	Brand Name : V400c Model Name : V400c Version : A Level 1 : 18518 0923 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : V400m Model Name : V400m Version : A Level 1 : 18486 0823 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : e235 Model Name : e235 Version : A Level 1 : 18129 1122 310 31a 31a ULVS Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : e280 Model Name : e280 Version : A Level 1 : 18350 0523 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												



Terminal Identification :	Brand Name : Carbon Mobile 5 Model Name : Carbon Mobile 5 Version : A Level 1 : 17803 0222 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : T650c Model Name : T650c Version : 1.0 Level 1 : 16658 0819 260 26b 26b BCTC Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : T650m Model Name : T650m Version : 1.0 Level 1 : 17195 1120 300 30a 30a BCTC Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : UX302/UX402 Model Name : UX302/UX402 Version : A Level 1 : 18663 1223 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												



Terminal Identification :	Brand Name : UX412 Model Name : UX412 Version : A Level 1 : 19321 0325 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><thead><tr><th>1</th><th>2</th><th>4</th><th>6</th><th>7</th><th>8</th></tr></thead><tbody><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></tbody></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : UX600 Model Name : UX600 Version : A Level 1 : 18594 1123 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><thead><tr><th>1</th><th>2</th><th>4</th><th>6</th><th>7</th><th>8</th></tr></thead><tbody><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></tbody></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : VL1-8 Model Name : VL1-8 Version : A Level 1 : 19480 0725 320 32a 32a FIMT Usable Options (see note 2) :											
	<table border="1"><thead><tr><th>1</th><th>2</th><th>4</th><th>6</th><th>7</th><th>8</th></tr></thead><tbody><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></tbody></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : VM1 Model Name : VM1 Version : A Level 1 : 19264 0225 310 31a 31a FIMC Usable Options (see note 2) :											
	<table border="1"><thead><tr><th>1</th><th>2</th><th>4</th><th>6</th><th>7</th><th>8</th></tr></thead><tbody><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></tbody></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												



Terminal Identification :	Brand Name : VN1 Model Name : VN1 Version : A Level 1 : 19525 0825 320 32a 32a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : 660 Model Name : 660 Version : A (EK26P v01.00) Level 1 : 17958 0722 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : 660 Model Name : 660 Version : A (EK26C v01.00) Level 1 : 18436 0723 310 31a 31a FIMT Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												

Terminal Identification :	Brand Name : 660 Model Name : 660 Version : A (IK26P v01.00) Level 1 : 18841 0424 310 31a 31a FIMC Usable Options (see note 2) :											
	<table border="1"><tr><td>1</td><td>2</td><td>4</td><td>6</td><td>7</td><td>8</td></tr><tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/></td></tr></table>	1	2	4	6	7	8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	4	6	7	8							
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
Differences with the terminal used for the kernel certification: The product has different peripheral support than the P630.												